FAYMONVILLE
TRAILERS TO THE MAX

NEW

CONVOI EXCEPTIONNEL

www.FAYMONVILLE.com

VARIO**MAX** PLUS

THE COMPACT SPECIALIST

FOR PAYLOADS UP TO 105 TONS!

Powered by **FAYMONVILLE** GROUP

LIGHTWEIGHT, RELIABLE AND EXPANDABLE!

FAYMONVILLE
TRAILERS TO THE **MAX**

NEW
VARIO**MAX** PLUS

FOR PAYLOADS UP TO 105 TONS!

THE COMPACT SPECIALIST

The strengths of the VarioMAX Plus low bed trailer are its high payload capacity, modular versatility and agile handling. The VarioMAX Plus is the payload-optimised solution for the transport of heavy construction machinery for civil and road construction, **mobile conveying and crushing systems** in the demolition and recycling sectors, as well as **transformers** and other industrial goods..

- **+** **Payload** from 60 to 105 tonnes at 12 tonnes axle load
- **+** Expansion options thanks to the **"joker" axle**
- **+** **Compact** design
- **+** Excellent **steering performance** thanks to high steering angle
- **+** Intuitive and **simple operating concept**
- **+** Fast **conversion options**
- **+** **Low** maintenance costs
- **+** **Robust** and proven **trailer technology**

FAYMONVILLE
TRAILERS TO THE **MAX**
VARIO**MAX** PLUS

VARIO**MAX** PLUS

Inspired by the **proven CombiMAX technology**, the VarioMAX Plus gives you the option to expand an initially chosen combination.

This is based on the proven **"joker" axle technology**, which means that higher payload requirements can be met by intergrating single axle bogies into the configuration.

See the different configuration variants here:

VARIO**MAX** PLUS   **FAYMONVILLE** TRAILERS TO THE **MAX**

ROOM FOR POSSIBILITIES

The VarioMAX Plus is a highly adaptable and versatile low bed series.

Thanks to the wide range of possible vehicle configurations,
the VarioMAX Plus is the efficient solution for numerous transport tasks..

✚ TECHNICAL FEATURES

- Choose between one or two interesections between bogies
- Adjustable fifth wheel load
- Pendle-axle technology for 600 mm stroke and 60° steering angle
- Robust due to the use of high-tensile steel
- Available in 2,550 mm or 2,850 mm basic width
- Available with more robust 19.5˝ or more compact 17.5˝ tyres

www.faymonville.com

FAYMONVILLE
TRAILERS TO THE **MAX**

8, Duarrefstrooss
L-9990 WEISWAMPACH
LUXEMBURG

Tel. +352 26 90 04 155

info@faymonville.com

Powered by **FAYMONVILLE**
GROUP